
TITLE: Data Modulation Method And Apparatus Capable Of Suppressing Dc ... INVENTORS: Jae-seong SHIM et al. SERIAL NO.: Unassigned DOCKET NO.: 1793.1211



TITLE: Data Modulation Method And Apparatus Capable Of Suppressing Dc ... INVENTORS: Jae-seong SHIM et al. SERIAL NO.: Unassigned DOCKET NO.: 1793.1211


SYNCHRONIZATION CODEWORD=SYNC BODY+MULTIPLEXING ID (PARITY CONTROL) FIG. 2A

SYNCHRONIZATION CODEWORD=SYNC BODY+SYNC ID+MULTIPLEXING ID (PARITY CONTROL) FIG. 2B.

SYNCHRONIZATION CODEWORD=SYNC BODY+SYNC ID MIXED WITH MULTIPLEXING ID (PARITY CONTROL) FIG. 2C

TITLE: Data Modulation Method And Apparatus Capable Of Suppressing Dc ... INVENTORS: Jae-seong SHIM et al. SERIAL NO.: Unassigned DOCKET NO.: 1793.1211

SYNCHRONIZA	SYNCHRONIZATION CODEWORD	i i
SYNC BODY	MULTIPLEXING ID (PARITY CONTROL)	PAKIIY
01000000010000000010	010x0	ODD WHEN x=1 EVEN WHEN x=0



TITLE: Data Modulation Method And Apparatu Capable Of Suppressing Dc ... INVENTORS: Jae-seong SHIM et al. SERIAL NO.: Unassigned DOCKET NO.: 1793.1211

FIG. 5

